



# INDEX MAPS.

## T. 27N, R. 6 E. 2<sup>nd</sup> Mer.



## T. 28N, R. 6 E. 2<sup>nd</sup> Mer.



The figures on the lines refer to the page.

491

Township N. 28 North, Range N. 6 East 2. Mer. Ind. a

### Township Lines.

Ch. Lm. South Boundary. Var. 5.55. E.

East on the S. Boundary of Sec. 31

28.66 an Elm 13 in. dia.

30.27 set of sec. post from which

a Sugar 4 in. dia. bears N 54° W 24 lks. dist. 8

an Elm 21 " " " N 16° E 2 " "

54.77 a Beech 10 " "

70.27 set post cor. of sec. 31 & 32 from which

a Beech 10 in. dia. bears N 39° W 33 lks. dist. 8

a Do 16 " " " N 86° E 33 " "

---

East on the S. Boundary of Sec. 32

28.00 an Elm 18 in. dia.

40.00 set of sec. post from which

a Buckeye 10 in. dia. bears N 50° W 34 lks. dist. 8

an Elm 6 " " " N 78° E 13 " "

65.10 a Beech 10 " "

79.08 a Stream 25 lks. wide course SW

80.00 set post cor. of sec. 32 & 33 from which

a Sugar 20 in. dia. bears N 58° W 23 lks. dist. 8

a Beech 18 " " " N 42° E 45 " "

---

East on the S. Boundary of Sec. 33

25.06 a Beech 11 in. dia.

40.00 set of sec. post from which

a Beech 16 in. dia. bears N 71° W 69 lks. dist. 8

a Hickory 15 " " " N 37° E 17 " "

60.00 a Sugar 12 " "

80.00 set post cor. of sec. 33 & 34 from which

a S. Ash 9 in. dia. bears N 68° W 32 lks. dist. 8

an Elm 10 " " " N 61° E 24 " "

---

East on the S. Boundary of Sec. 34

23.98 a Beech 16 in. dia.

40.00 set of sec. post from which

*T. 28 N., R. 6 E., S. 1 Mer. Ind.?*  
*Chr. M.*

a Beech 10 in. dia. bears N 64° W 17 1/2 lbs. dist. 8  
 a Do 10 " " " N 52° E 25 " "  
 66.00 a Beech 6 " "  
 80.00 set part cor. of sec. 34 & 35 from which  
 a Gum 12 in. dia. bears N 18° W 25 lbs. dist. 8  
 a Buckeye 10 " " " N 81° E 8 " "

*East on the S. Boundary of Sec. 35*

24.49 a Beech 16 in. dia.  
 40.00 set of sec. part from which  
 a B. Ash 22 in. dia. bears N 53° W 23 lbs. dist. 8  
 a Beech 20 " " " N 70° E 74 " "  
 71.01 a B. Ash 9 " "  
 73.00 a Stream 20 lbs. wide came SW  
 75.00 a Do 20 " " " NW  
 78.03 a Do 20 " " " SE  
 80.00 set part cor. of sec. 35 & 36 from which  
 a Beech 20 in. dia. bears N 34° W 13 lbs. dist. 8  
 a Do 10 " " " N 40° E 5 " "  
 Land level 2. rate. Timber Beech, Oak & Ash

*East on the S. Boundary of Sec. 36*

21.87 a Poplar 24 in. dia.  
 40.00 set of sec. part from which  
 a Beech 12 in. dia. bears N 46° W 48 lbs. dist. 8  
 a Hickory 4 " " " N 36° E 28 " "  
 60.39 a Beech 16 " "  
 80.00 set part cor. of T. 27 & 28 N., R. 6 E. from which  
 a Beech 19 in. dia. bears N 62° W 30 lbs. dist. 8  
 a Do 19 " " " N 10° E 20 " "  
 Land & timber same as last described.

*East Boundary. Var. 5.55.8.*

*North on the E. Boundary of Sec. 36*

31.89 a Beech 13 in. dia.  
 40.00 set of sec. part from which

*T. 28 N., R. 6 E. 2<sup>d</sup> Mer. Ind.*

*a Sugar 15 in. dia. bears S 42° W 41 Yds. dist. 8*  
*a Do 14 " " N 46° W 42 " "*  
 64.11 an Elm 14 " "  
 80.00 set post cor. of sec. 25 & 36 from which  
*a Beech 12 in. dia. bears S 12° W 28 Yds. dist. 8*  
*a Do 11 " " N 59° W 23 " "*

*North on the E. Boundary of Sec. 25*

13.70 an Elm 14 in. dia.  
 40.00 set q. sec. post from which  
*an Ironwood 6 in. dia. bears S 10° W 25 Yds. dist. 8*  
*a Do 7 " " N 50° W 10 " "*  
 58.17 a Beech 9 " "  
 80.00 set post cor. of sec. 24 & 25 from which  
*a S. Ash 15 in. dia. bears S 20° W 22 Yds. dist. 8*  
*an Ironwood 6 " " N 79° W 8 " "*

*North on the E. Boundary of Sec. 24*

34.18 a Beech 12 in. dia.  
 40.00 set q. sec. post from which  
*an Ironwood 6 in. dia. bears S 9° W 10 Yds. dist. 8*  
*a Do 4 " " N 59° W 8 " "*  
 58.33 a Sugar 24 " "  
 80.00 set post cor. of sec. 13 & 24 from which  
*an Elm 24 in. dia. bears S 45° W 30 Yds. dist. 8*  
*a Beech 21 " " N 39° W 28 " "*

*North on the E. Boundary of Sec. 13*

38.39 an Ironwood 8 in. dia.  
 40.00 set q. sec. post from which  
*a Hickory 11 in. dia. bears S 16° W 15 Yds. dist. 8*  
*an Ironwood 7 " " N 83° W 19 " "*  
 64.82 a B. Ash 22 " "  
 80.00 set post cor. of sec. 12 & 13 from which  
*an Elm 10 in. dia. bears S 37° W 19 Yds. dist. 8*  
*a Poplar 21 " " N 53° W 11 " "*



T. 28 N., R. 6 E., S. 1 Mer. Ind.<sup>e</sup>  
 Ch. E.<sup>r</sup>

North on the E. Boundary of Sec. 12

24.40 a Lyncamore 36 in. dia.

40.00 set of sec. post from which

a G. Ash 18 in. dia. bears S 37 W 7 1/2 M., dist. 8

a Buckeye 9 " " N 23 W 8 " "

71.10 a Beech 11 " "

80.00 set post cor. of Sec. 1 & 12 from which

a Beech 5 in. dia. bears S 76 W 23 1/2 M., dist. 8

a Do 9 " " N 21 W 18 " "

North on the E. Boundary of Sec. 1

29.76 a Poplar 24 in. dia.

40.00 set of sec. post from which

a Buckeye 6 in. dia. bears N 41 W 6 1/2 M., dist. 8

a Lyncamore 21 " " S 58 W 26 " "

59.14 a Poplar 36 " "

80.00 set temp. post for Township corner.

Land level & rate. Timber Beech, Hickory &  
 Poplar. Ulp. Ironwood & Spice

North Boundary. Var. 6.00' E.

Bearings at cor. of T. 28 & 29 N., R. 6 & 7 E.

a B. Oak 40 in. dia. bears N 55 E 10 M., dist. 8

a Beech 5 " " N 55 W 19 " "

West on the S. Boundary of Sec. 30, T. 29 N., R. 6 E

32.93 a G. Ash 28 in. dia.

40.00 set of sec. post from which

a B. Ash 9 in. dia. bears N 87 E 5 1/2 M., dist. 8

a Do 22 " " N 54 W 25 " "

67.50 a B. Ash 14 " "

80.00 set post cor. of Sec. 35 & 36 from which

a Hickory 23 in. dia. bears N 67 E 36 M., dist. 8

a Do 18 " " N 35 W 16 " "

West on the S. Boundary of Sec. 35, T. 29 N., R. 6 E

29.57 a Bur Oak 26 in. dia.

*Chr. Oak.* T. 28 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

40.00 set of sec. part from which

a W. Oak 14 in. dia. bears N 27 E 14 lbs. dist. 8,

a Lym 40 " " " N 46 W 3 " "

62.97 a B. Ash 24 " "

80.00 set part cen. of sec. 34 & 35 from which

a W. Oak 33 in. dia. bears N 75 E 29 lbs. dist. 8,

a Hickory 23 " " " N 52 W 25 " "

West on the S. Boundary of Sec. 34, T 29 N, R 6 E

33.58 a Hickory 16 in. dia.

40.00 set of sec. part from which

a Beech 10 in. dia. bears N 82 E 30 lbs. dist. 8,

a W. Oak 22 " " " North 8 " "

62.25 a S. Ash 21 " "

80.00 set part cen. of sec. 33 & 34 from which

a Ironwood 4 in. dia. bears N 65 E 21 lbs. dist. 8

a Beech 6 " " " N 43 W 7 " "

West on the S. Boundary of Sec. 33, T 29 N, R 6 E

31.84 a Hickory 28 in. dia.

40.00 set of sec. part from which

a Sugar 9 in. dia. bears N 78 E 22 lbs. dist. 8

a Hickory 7 " " " N 68 W 13 " "

72.05 a B. Oak 36 " "

80.00 set part cen. of sec. 32 & 33 from which

a Elm 6 in. dia. bears N 82 E 31 lbs. dist. 8

a Do. 4 " " " N 27 W 28 " "

West on the S. Boundary of Sec. 32, T 29 N, R 6 E

28.30 a B. Oak 17 in. dia.

40.00 set of sec. part from which

a W. Oak 16 in. dia. bears N 79 E 30 lbs. dist. 8

a B. Oak 9 " " " N 34 W 23 " "

61.70 a Sugar 14 " "

80.00 set part cen. of sec. 31 & 32 from which

a Sugar 14 in. dia. bears N 77 E 11 lbs. dist. 8

T. 28 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Chs. Spr.

a Beech 8 in. dia. bears N 67° W 25 Mts. dist.  
 November 14. 1827

West on the S. Boundary of Sec. 31, T 29 N, R 6 E.

1.76 a Stream 12 Mts. wide course N.

34.56 a Bur Oak 36 in. dia.

40.00 set of sec. post from which

a Beech 13 in. dia. bears N 77° E 33 Mts. dist. S

a Do 12 " " " N 12° W 38 " " "

60.43 a Beech 24 " "

68.00 Intersect W. Boundary 50 Mts. N. of post -

set post at intersection cor. of T. 28 & 29 N, R. 5 & 6 E. from which

a Sugar 18 in. dia. bears N 89° E 38 Mts. dist. S

a Beech 20 " " " N 25° W 46 " " "

Land level & 2<sup>d</sup> rate. Timber Beech &c

West Boundary. Var. 6.00. E.

Bearings at corner of T. 29 & 28 N, R. 5 & 6 E

a Hickory 20 in. dia. bears S 81° W 59 Mts. dist. S

an Elm 15 " " " N 68° E 12 " " "

North on the E. Boundary of Sec. 36, T 28 N, R 5 E

30.91 an Elm 10 in. dia.

40.00 set of sec. post from which

a G. Ash 18 in. dia. bears S 87° W 10 Mts. dist. S

a Maple 9 " " " N 61° W 28 " " "

59.91 a Beech 18 " "

80.00 set post cor. of Sec. 25 & 36 from which

a Gray Ash 18 in. dia. bears N 88° W 15 Mts. dist. S

a B. Ash 5 " " " S 37° W 21 " " "

Level not inferior 2<sup>d</sup> rate land. Timber Ash, Beech, Elm, Oak, Hickory &c. Ash, Spruce &c

North on the E. Boundary of Sec. 25, T 28 N, R 5 E

40.00 set of sec. post from which

a Beech 24 in. dia. bears N 40 1/2° W 26 Mts. dist. S

T. 28 N., R. 6 E. 2. Mer. Ind. a

Chr. 16?  
 an Ironwood 4 in. dia. bears S 9 1/2 W 16 1/2 Mts. dint.  
 40.72 a Hickory 28 " "  
 51.26 a W. Oak 36 " "  
 57.50 a Branch 6 Mts. wide corner E N E  
 70.50 a Swamp 2.00 Chr. wide  
 72.50 a W. Oak 20 in. dia.  
 80.00 set part cor. of sec. 24 & 25 from which  
 a B. Ash 30 in. dia. bears N 7 1/2 W 9 Mts. dint. S  
 a W. Elm 22 " " " S 53 1/2 W 26 " "  
 Level wet 2. rate land. Timber Beech, Elm,  
 Ash, Hickory & Upr. Spice, Ash, Willow &c.

North on the E. Boundary of Sec. 24, T. 28 N., R. 5 E

0.50 enter Pond  
 3.00 leave "  
 40.00 set of sec. part from which  
 a Gray Ash 16 in. dia. bears S 41 1/2 W 15 Mts. dint. S  
 a Hickory 16 " " " N 28 1/2 W 56 " "  
 40.50 a Stream 25 Mts. wide corner S W  
 44.50 a Branch 4 " " " S W  
 77.50 a Do 15 " " " W S W  
 80.00 set part cor. of sec. 13 & 24 from which  
 a Water Beech 4 in. dia. bears S 20 1/2 W 12 Mts. dint. S  
 a Beech 6 " " " N 31 1/2 W 43 " "  
 Part level wet 2. rate, part rolling 2. rate land.  
 Timber Beech, Ash, Elm, Sugar, Hickory,  
 W. Oak &c. Upr. Ironwood, Sugar, Water Beech, Spice &c.

North on the E. Boundary of Sec. 13, T. 28 N., R. 5 E

15.70 a Branch 6 Mts. wide corner S E  
 20.70 a Beech 20 in. dia.  
 30.50 a Swamp, Offset West 4.00 Chr.  
 38.00 reduced Offset  
 40.00 set of sec. part from which  
 a B. Ash 16 in. dia. bears S 59 1/2 W 5 Mts. dint. S  
 a Buckeye 10 " " " N 40 1/2 W 40 " "



## T. 28 N., R. 6 E., S. 2 Mer. Ind.

Ch. Sk.

43.50 enter Swamp, E &amp; W

46.50 leave "

52.50 enter " E &amp; W

62.50 leave "

75.28 a W. Elm 18 in. dia.

80.00 set part cor. of sec. 12 & 13 from which  
 a W. Elm 36 in. dia. bears S 32° W 13 Ws. dist. 8  
 a Gray Ash 4 " " " N 13° W 40 " "  
 Level wet 2<sup>d</sup> rate land. Timber Elm, Ash,  
 Maple, Beech, Oak &c. Wp. Ironwood, Sugar,  
 Hickory, Willow &c.

## North on the E. Boundary of Sec. 12, T. 28 N., R. 5 E

40.00 set q. sec. part from which

a Beech 6 in. dia. bears N 36° W 26 Ws. dist. 8

a R. Oak 6 " " " S 48° W 21 " "

53.25 a Spring branch 4 Ws. wide course W &amp; W

55.00 a Stream 50 Ws. wide course W &amp; W

71.40 a Beech 12 in. dia.

80.00 set part cor. of sec. 14 &amp; 12 from which

a Spruce 4 in. dia. bears N 80° W 12 Ws. dist. 8

a Beech 4 " " " S 5° W 13 " "

Rolling 2<sup>d</sup> rate land. Timber Beech, Sugar,  
 Ash, Elm, Poplar, Hickory &c. Wp. Spruce,  
 Ash, Ironwood &c.

## North on the E. Boundary of Sec. 1, T. 28 N., R. 5 E

22.50 Outlet of a Pond 6 Ws. wide course S E

37.30 a Poplar 22 in. dia.

40.00 set q. sec. part from which

a Gray Ash 10 in. dia. bears N 16° W 30 Ws. dist. 8

a Ironwood 6 " " " S 40° W 8 " "

50.50 a Swamp

54.00 leave Swamp

63.17 a Beech 16 in. dia.

90.88 to line between T. 28 &amp; 29 N.



T. 28 N., R. 6 E. 2. Mer. Ind.  
 Chas. H. H.

Level wet 2. rate land. Timber Beech, Ash,  
 Elm, Hickory & Upr. Ash, Hickory, Sugar &  
 November 2. 1827 David Hollis  
 Deputy Surveyor.

### Subdivision. Var. 6. 06. E.

North between Sec. 35 & 36

1.50 a Branch 16 Mts. wide course SW

7.62 a Poplar 18 in. dia.

22.00 a Branch 12 Mts. wide course SE

40.00 set of sec. part from which

a Beech 20 in. dia. bears S 38° W 18 Mts. dist. &

a R. Oak 30 " " " N 27° W 29 " "

42.30 a Beech 20 " "

80.00 set part cor. of sec. 25, 26, 35 & 36 from which

a Beech 18 in. dia. bears N 82° E 17 Mts. dist. &

a Hickory 8 " " " S 41° E 11 " "

Land level 2. rate. Timber Beech, Ash, Oak, Sugar,  
 Walnut, Hickory. Upr. Spice, Ironwood &c.

East on Random between Sec. 25 & 36

22.50 a Branch 12 Mts. wide course SW

40.00 set temp. of sec. part

79.92 Intersect E. Boundary 80 Mts. E. of part

Land & Timber same as last described.

West Corrected between Sec. 25 & 36

39.96 set of sec. part at aver. dist. from which

a Beech 18 in. dia. bears N 78° E 37 Mts. dist. &

a Do 20 " " " S 45° W 11 " "

79.92 to sec. cor.

North between Sec. 25 & 26

3.45 an Elm 12 in. dia. Friday, April 25, 1828

40.00 set of sec. part from which

an Ash 8 in. dia. bears N 84° E 9 Mts. dist. &

## T. 28 N., R. 6 E. 2. Mer. Ind. 4

Chr. Sp?

a Hickory 8 in. dia. bears S 12 W 3 W. dist.

45.40 a Beech 30 " "

80.00 set post cor. of sec. 23, 24, 25 &amp; 26 from which

an Elm 15 in. dia. bears N 70 E 3 W. dist. 8

an Ash 7 " " " S 17 E 5 " "

Land level &amp; swampy.

East on Random between Sec. 24 &amp; 25

40.00 set temp. of sec. post

79.84 Intersect E. Boundary 12 W. N. of post -

Land &amp; timber as before described.

West Connected between Sec. 24 &amp; 25

39.92 set of sec. post at aver. dist. from which

a Beech 11 in. dia. bears N 60 E 18 W. dist. 8

an Ironwood 8 " " " N 45 W 24 " "

79.84 to sec. cor.

North between Sec. 23 &amp; 24

9.80 an Oak 12 in. dia.

40.00 set of sec. post from which

a Spruce 12 in. dia. bears N 85 E 4 W. dist. 8

an Ash 7 " " " S 58 W 34 " "

40.90 a Hickory 8 " "

80.00 set post cor. of sec. 13, 14, 23 &amp; 24 from which

a Sugar 12 in. dia. bears S 33 E 14 W. dist. 8

a Do 15 " " " N 50 W 15 " "

Land level &amp; wet. Timber Beech, Oak, Ash, Sugar, Hickory. Upr. Dogwood

East on Random between Sec. 13 &amp; 24

40.00 set temp. of sec. post

78.82 Intersect E. Boundary 140 W. E. of post -

Land &amp; timber as before described.

West Connected between Sec. 13 &amp; 24

T. 28 N., R. 6 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Chs. Lk.

39.41 set of sec. post at aver. dist. from which  
 an Ash 10 in. dia. bears S 15 E 16 Ws. dist. 8  
 a Beech 9 " " " N 19 E 32 " "  
 78.82 to sec. cor.

---

North between Sec. 13 & 14

3.30 a Beech 30 in. dia.  
 40.00 set of sec. post from which  
 a Beech 30 in. dia. bears S 77 E 5 Ws. dist. 8  
 an Ironwood 5 " " " S 45 W 11 " "  
 47.30 a Sycamore 30 " "  
 69.50 to the West the appearance of small Prairie  
 80.00 set post cor. of sec. 11, 12, 13 & 14 from which  
 an Elm 15 in. dia. bears S 77 W 3 Ws. dist. 8  
 a Do 11 " " " N 57 E 18 " "  
 Saturday Evening, April 26. 1828  
 (Description of land &c. omitted)

---

East on Random between Sec. 12 & 13

22.50 a Branch 8 Ws. wide course SW  
 40.00 set temp. of sec. post  
 63.00 a Willow Swamp 8.00 Ebs. wide  
 78.88 Intersect Co. Boundary 50 Ws. E. of post—  
 Land level & swampy.

---

West Corrected between Sec. 12 & 13

39.44 set of sec. post at aver. dist. from which  
 an Elm 12 in. dia. bears N 70 E 8 Ws. dist. 8  
 an Ash 6 " " " S 70 W 12 " "  
 78.88 to sec. cor.

---

North between Sec. 11 & 12

5.42 a Hickory 30 in. dia.  
 27.50 a Sycamore 30 " "  
 40.00 set of sec. post from which  
 a Beech 20 in. dia. bears N 11 E 11 Ws. dist. 8

T 28 N., R. 6 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>

Chs. Lk?

a Hickory 11 in. dia. bears S 54° W 34 Mk., dint.  
 54.00 a Branch 15 Mk. wide course W  
 57.50 an Elm 22 in. dia.  
 80.00 set post cor. of sec. 1, 2, 11 & 12 from which  
 an Ash 5 in. dia. bears S 47° W 8 Mk., dint. S  
 a Lynn 7 " " " N 60° E 14 " "  
 Land somewhat rolling 2<sup>d</sup> quality of 2<sup>d</sup> rate.  
 Timber Beech, Ash, Oak, Poplar, Sycamore, Sugar,  
 Spice, Ash, Maple &c.

## East on Random between Sec. 10 &amp; 12

40.00 set temp. gr. sec. post  
 75.00 a Branch 8 Mk. wide course W  
 79.16 Intersect E. Boundary 21 Mk. E. of post -  
 (Description of land &c. omitted)

## West Connected between Sec. 1 &amp; 12

39.58 set gr. sec. post at aver. dint. from which  
 a Poplar 20 in. dia. bears S 68° E 9 Mk., dint. S  
 a Sugar 18 " " " S 40° W 14 " "  
 79.16 to sec. cor. April 29. 1828

## North between Sec. 1 &amp; 2

11.38 an Ash 12 in. dia.  
 27.00 a Swamp 5.00 Chs. wide  
 40.00 set gr. sec. post from which  
 a Beech 24 in. dia. bears S 20° E 14 Mk., dint. S  
 an Ironwood 8 " " " N 27° W 6 " "  
 81.04 Intersect N. Boundary 90 Mk. E. of post -  
 set post at intersection cor. of sec. 1 & 2 from which  
 a Beech 20 in. dia. bears N 20° W 8 Mk., dint. S  
 a Do 20 " " " S 65° W 32 " "  
 Land level & swampy, although perhaps  
 we do not make sufficient allowance for  
 wet weather. Timber Beech, Ash, Oak, Hick-  
 ory, Upr. Willow - Swamps green Briers,

T. 28. N., R. 6. E. 2. Mer. Ind.<sup>a</sup>  
 Chas. L. 1828

Frogs, Snakes & wet Shanks

North between Secs. 34 & 35

12.00 a Beech 18 in. dia.

44.00 set of sec. port from which

a Hickory 20 in. dia. bears S 55 E 13 W. dist. 2

a Beech 12 " " " S 65 W 13 " "

42.30 an Ash 18 " "

80.00 set port cor. of sec. 26, 27, 34 & 35 from which

a W. Oak 12 in. dia. bears N 15 E 19 W. dist. 2

a Beech 15 " " " S 75 E 18 " "

Land level & wet. Timber Beech, Ash, Oak,  
 Sugar, Hickory, Poplar. Upr. Spice, Ironwood &  
 Dogwood

East on Random between Secs. 26 & 35

44.00 set temp. of sec. port

79.24 Intersect N & S. line 38 W. S. of port.

Land & timber as before described.

West Corrected between Secs. 26 & 35

39.62 set of sec. port at aver. dist. from which

an Ash 6 in. dia. bears S 6 W 10 W. dist. 2

a Do 8 " " " S 85 W 22 " "

79.24 to sec. cor. April 26. 1828

North between Secs. 26 & 27

2.14 an Elm 36 in. dia.

30.00 a wet Prairie about 5.00 W. wide but ap-  
 pears to extend E & W. a considerable distance.

40.00 set of sec. port from which

an Ironwood 6 in. dia. bears S 60 E 5 W. dist. 2

a Do 10 " " " N 45 W 18 " "

46.50 a Poplar 15 " "

80.00 set port cor. of sec. 22, 23, 26 & 27 from which

a Hickory 15 in. dia. bears N 20 W 8 W. dist. 2



T. 28 N., R. 6 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Chr. 30<sup>th</sup>

an Ash 7 in. dia. bears S 45° W 18 Ws. dist.  
 Land level, first half mile swampy, last  
 half mile more rolling. Timber Beech, Ash,  
 Oak, Maple. Wg. Spice, Hemwood

East on Random between Sec. 23 & 26

40.00 set temp. of sec. post

79.61 Intersect N. & S. line 17 Ws. S. of post—

Land low & swampy timber in proof

West Connected between Sec. 23 & 26

39.80 set g. sec. post at aver. dist. from which

a Hickory 18 in. dia. bears S 73° W 8 Ws. dist. 3

a Do 11 " " " N 30° E 28 " "

79.61 to sec. cor.

North between Sec. 22 & 23

0.20 a Lycamore 30 in. dia.

40.00 set g. sec. post from which

a Hickory 11 in. dia. bears S 79° E 7 Ws. dist. 3

an Elm 18 " " " S 26° W 27 " "

46.40 a R. Oak 22 " "

80.00 set post cor. of sec. 14, 15, 22 & 23 from which

an Ash 10 in. dia. bears South 22 Ws. dist. 3

an Elm 22 " " " N 62° W 9 " "

Land level & wet, timber to correspond.

East on Random between Sec. 14 & 23

40.00 set temp. of sec. post

80.15 Intersect N. & S. line 12 Ws. N. of post—

Land level and swampy

West Connected between Sec. 14 & 23

40.0 1/2 set g. sec. post at aver. dist. from which

an Ash 18 in. dia. bears N 81° E 5 Ws. dist. 4

an Elm 8 " " " N 65° W 18 " "

Surveyed

T. 28 N., R. 6 E. 2. Mer. Ind.<sup>a</sup>  
 Ch. Sp.

80.15 to sec. cor.

North between Sec. 14 & 15

2.60 a W. Oak 36 in. dia.

27.50 a W. Walnut 18 in. dia.

40.00 set g. sec. post from which

a Ironwood 5 in. dia. bears N 12° W 5 1/2 Ms. dist. 3

a Beech 8 " " " S 50° E 15 " "

50.12 an Ash 36 " "

67.50 a Branch 10 Ms. wide course NW

79.50 a Do 20 " " " " NW

80.00 set post cor. of sec. 10, 11, 14 & 15 from which

a Beech 20 in. dia. bears N 76° E 1/4 Ms. dist. 3

a Buckeye 12 " " " " S 61° W 48 " "

First half mile wet, last half mile rolling & rich.

Timber Beech, Ash, Oak, Sugar, Poplar, Walnut.

W. Spice, Dogwood &c

East on Random between Sec. 11 & 14

2.50 a Branch 15 Ms. wide course SW

40.00 set temp. g. sec. post

79.78 Intersect N. & S. line 38 Ms. S. of post—

Land level 2<sup>d</sup> rate. Monday, April 28. 1828

West Connected between Sec. 11 & 14

39.89 set g. sec. post at aver. dist. from which

a B. Ash 10 in. dia. bears N 42° W 1/4 Ms. dist. 3

an Ironwood 7 " " " " S 62° E 10 " "

79.78 to sec. cor.

North between Sec. 10 & 11

1.60 an Elm 36 in. dia.

15.00 a Branch 12 Ms. wide course W

40.00 set g. sec. post from which

a Beech 16 in. dia. bears S 70° W 1/4 Ms. dist. 3

a Do 15 " " " " S 45° E 20 " "

T. 28 N., R. 6 E., T. 2 Mer. Ind. a

Ch. 1st.

54.00 a Poplar - in. dia.

80.00 set post cor. of sec. 2, 3, 10 & 11 from which  
a W. Oak 12 in. dia. bears N 49 E 21 W. dist. 8  
a Beech 10 " " " S 25 E 18 " "

Land rolling good 2<sup>d</sup> rate. Timber Beech, Ash,  
Oak, Poplar, Hickory, Sugar, Walnut & Upr.  
Spice, Pawpaw, Dogwood, Ironwood &c.

East on Random between Sec. 2 & 11

40.00 set temp. q. sec. post

79.70 Intersect N. S. line 27 W. S. of post -

Land level 2<sup>d</sup> rate. Timber as before described.

West Corrected between Sec. 2 & 11

39.85 set q. sec. post at aver. dist. from which

a Hickory 7 in. dia. bears S 53 E 9 W. dist. 8

a Do 7 " " " S 51 W 21 " "

79.70 to sec. cor.

North between Sec. 2 & 3

10.20 a Maple 36 in. dia.

40.00 set q. sec. post from which

a W. Oak 9 in. dia. bears N 40 W 14 W. dist. 8

a Lym 14 " " " N 09 E 20 " "

84.00 Intersect N. Boundary 90 W. E. of post -

set post at intersection cor. of sec. 2 & 3 from which

a Hickory 20 in. dia. bears S 85 E 20 W. dist. 8

a Beech 11 " " " S 83 W 18 " "

First half mile swampy, last half mile dry.

Timber Beech, Ash, Oak, Hickory, Sugar.

Upr. Spice, Dogwood, Ironwood, Pawpaw

May 2. 1828

North between Sec. 33 & 34

2.95 an Elm 24 in. dia.

40.00 set q. sec. post from which

*T. 28 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>e</sup>*  
*Chr. 4<sup>th</sup>.*

and Ash 11 in. dia. bears S 62 E 8 1/2 M. dist. 2  
 a W. Beech 6 " " " N 58 W 4 " "  
 70.00 a Branch 8 M. wide curve SW  
 80.00 set post cor. of sec. 27, 28, 33 & 34 from which  
 a W. Beech 8 in. dia. bears N 49 E 10 1/2 M. dist. 2  
 a Hickory 5 " " " S 19 E 19 " "  
 Level & wet land.

*East on Random between Sec. 27 & 34*

5.50 a Branch 8 M. wide curve SW  
 40.00 set temp. of sec. post  
 80.37 Intersect N. S. line 50 M. N. of post -  
 Land level & wet.

*West Connected between Sec. 27 & 34*

40.18 set of sec. post at aver. dist. from which  
 a Beech 12 in. dia. bears N 20 W 19 M. dist. 2  
 a Do 16 " " " S 70 W 23 " "  
 80.37 to sec. cor.

*North between Sec. 27 & 28*

9.24 a W. Oak 24 in. dia.  
 40.00 set of sec. post from which  
 an Elm 11 in. dia. bears N 60 W 11 M. dist. 2  
 a W. Oak 13 " " " S 12 E 16 " "  
 52.30 an Ash 30 " "  
 80.00 set post cor. of sec. 21, 22, 27 & 28 from which  
 a Beech 5 in. dia. bears S 28 E 7 1/2 M. dist. 2  
 an Elm 20 " " " N 25 W 20 " "  
 First half mile level & wet, last half mile  
 more rolling. Timber Beech, Oak, Ash, Hick-  
 ory, Elm &c. Wp. Spice, Ironwood, Dogwood &c.

*East on Random between Sec. 22 & 27*

40.00 set temp. of sec. post  
 80.58 Intersect N. S. line 153 M. N. of post -

T. 28 N., R. 6 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Ch. Sp.

Sand level drier

West Connected between Sec. 22 & 27

40.29 set of sec. post at aver. dint. from which  
a Maple 11 in. dia. bears S 46° E 9 M., dint. 8  
a Do 11 " " " S 45° W 12 " "  
80.58 to sec. cor.

North between Sec. 21 & 22

25.00 a Beech 30 in. dia.

40.00 set of sec. post from which  
a Beech 22 in. dia. bears N 24° E 20 M., dint. 8  
a Do 20 " " " S 2° W 25 " "

45.25 a Beech 24 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 in Swamp from wh.  
a Willow 11 in. dia. bears N 26° W 34 M., dint. 8  
a Do 7 " " " N 40° E 36 " "  
Sand level 2<sup>d</sup> rate. Timber as last described

East on Random between Sec. 15 & 22

40.00 set temp. of sec. post

80.50 Intersect N. S. line 138 M., N. of post —  
Sand second rate

West Connected between Sec. 15 & 22

40.25 set of sec. post at aver. dint. from which  
a Poplar 11 in. dia. bears N 6° E 5 M., dint. 8  
a Beech 6 " " " S 48° E 14 " "  
80.50 to sec. cor.

North between Sec. 15 & 16

22.62 a Sugar 24 in. dia.

40.00 set of sec. post from which  
an Ash 18 in. dia. bears N 81° E 6 M., dint. 8  
a Beech 15 " " " South 26 " "  
67.50 an Ash 18 " "



509

T. 28. N., R. 6. E., 2<sup>d</sup> Mer. Ind.  
Ch. 1<sup>st</sup>

80.00 set post cor. of sec. 9, 10, 15 & 16 from which  
a Beech 18 in. dia. bears N 75 E 19 Ws. dist. 8  
a Do 10 " " " S 45 W 9 " "  
Land level & wet

---

East on Random between Sec. 10 & 15

32.00 a Stream 12 Ws. wide course NW

40.00 set temp. of sec. post

43.00 a Stream 12 Ws. wide course S

79.75 Intersect 130 Ws. N. of post -

Land rolling 2<sup>d</sup> rate. Timber Beech, Ash, Oak,  
Sugar, Hickory, Poplar, Wpn. Spice, Dogwood,  
Juniper &c. April 3. 1828

---

West Connected between Sec. 10 & 15

39.87 set of sec. post at aver. dist. from which

a B. Oak 18 in. dia. bears N 32 W 17 Ws. dist. 8

a Do 10 " " " S 27 E 27 " "

79.75 to sec. cor.

---

North between Sec. 9 & 10

4.84 a Beech 20 in. dia.

12.16 a Stream 15 Ws. wide course W.

40.00 set of sec. post from which

an Ash 8 in. dia. bears N 9 W 35 Ws. dist. 8

an Elm 11 " " " S 58 W 8 " "

48.75 an Elm 20 " "

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

a Sugar 11 in. dia. bears S 57 E 4 Ws. dist. 8

a Beech 9 " " " N 26 W 17 " "

Land level 2<sup>d</sup> rate. Timber as before described.

---

East on Random between Sec. 3 & 10

40.00 set temp. of sec. post

80.40 Intersect N. & S. line 208 Ws. N. of post -

Land level swampy but interspersed with some

T. 28 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Elm, Lk.

good land. Timber Beech, Ash, Oak, Sugar &c.  
 Upr. Spruce, Willow &c

West Connected between Sec. 3d 10

40.20 set of sec. post at aver. dist. from which  
 an Elm 11 in. dia. bears S 88 W 5<sup>th</sup> dist. 2.  
 a Do 15 " " " N 78 E 6 " "  
 80.40 to sec. cor.

North between Sec. 3d 44

27.50 a W. Oak 40 in. dia.

40.00 set of sec. post from which  
 a Maple 18 in. dia. bears N 62 E 7<sup>th</sup> dist. 3  
 an Elm 15 " " " S 25 E 17 " "

84.20 Intersect N. Boundary 57<sup>th</sup> Mer. E. of post —  
 set post at intersection cor. of sec. 3d 44 from which  
 an Elm 18 in. dia. bears N 54 E 7<sup>th</sup> dist. 2.  
 a Beech 9 " " " S 79 W 22 " "  
 Land level 2<sup>d</sup> rate, some wet land

North between Sec. 32 & 33

10.00 a Stream 11<sup>th</sup> Mer. wide course SW

35.50 a Poplar 18 in. dia.

40.00 set of sec. post from which  
 a Spruce 5 in. dia. bears S 43 E 10<sup>th</sup> Mer. dist. 2.  
 a Beech 20 " " " N 58 W 45 " "

50.00 an Ash 18 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which  
 an Elm 15 in. dia. bears S 24 W 2<sup>th</sup> Mer. dist. 2.  
 an Ash 5 " " " N 80 E 22 " "  
 First half mile good

East on Random between Sec. 28 & 33

40.00 set temp. of sec. post

79.58 Intersect N & S. line 3.66 Ch. S. of post —  
 Land level, rather inclining to wet. Timber Beech,

T. 28 N., R. 6 E. 2. Mer. Ind.<sup>a</sup>  
 6th. 1870.

Ash, Oak, Hickory

West Connected between Sec. 28 & 33

39.79 set g. sec. post at aver. dist. from which  
 an Ironwood 6 in. dia. bears S 87° W 9 W. dist. 8  
 a Do 6 " " " N 35° E 9 " " "  
 79.58 to sec. cor.

North between Sec. 28 & 29

7.56 a Poplar 40 in. dia.  
 40.00 set g. sec. post from which  
 an Elm 9 in. dia. bears S 88° E 17 W. dist. 8  
 an Ash 12 " " " N 42° W 3 " " "  
 80.00 set post cor. of sec. 20, 21, 28 & 29 from which  
 a Beech 10 in. dia. bears N 18° E 9 W. dist. 8  
 a Sugar 16 " " " N 44° W 8 " " "  
 Land level 2. rate, Timber Beech, Oak, Ash, Sugar,  
 Poplar, Hickory, Wyp. Spice, Pawpaw, Dogwood, Elm.

East on Randon between Sec. 21 & 28

40.00 set temp. g. sec. post  
 79.00 Intersect N. & S. line 54 W. S. of post —  
 Land level 2. rate, Timber as before described.

West Connected between Sec. 21 & 28

39.50 set g. sec. post at aver. dist. from which  
 a Beech 20 in. dia. bears West 3 W. dist. 8  
 a Do 20 " " " S 50° E 33 " " "  
 79.00 to sec. cor.

There are a great number of small Willow  
 Swamps through this country, and the Under-  
 brush is very close.

North between Sec. 20 & 21

6.20 a Sugar 12 in. dia.  
 40.00 set g. sec. post from which

T. 28 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Chs. Lk.

a Beech 19 in. dia. bears N 50 E 20 Yds. dist. S  
 a Do 17 " " " South 30 " "  
 55.00 an Ash 24 " "  
 80.00 set post cor. of sec. 16, 17, 20 & 21 from which  
 a B. Oak 24 in. dia. bears S 63 E 20 Yds. dist. S  
 a Beech 18 " " " N 71 W 11 " "  
 First half mile level, last half mile rolling 2<sup>d</sup>.  
 rate. Timber Beech, Oak, Hickory, Poplar, Sugar.  
 Upr. Spice, Ironwood, Ash, Dogwood &c

East in Random between Sec. 16 & 21

40.00 set temp. of sec. post  
 50.00 intersect a narrow wet Prairie which continues  
 East to the corner.  
 79.37 Intersect N & S line 10 Yds. S. of post -  
 First half mile 2<sup>d</sup> rate.

West Corrected between Sec. 16 & 21

39.68 set of sec. post at aver. dist. from which  
 an Elm 6 in. dia. bears S 75 E 12 Yds. dist. S  
 a Maple 12 " " " S 48 W 25 " "  
 79.37 to sec. cor.

North between Sec. 16 & 17

16.95 a W. Oak 20 in. dia.  
 40.00 set of sec. post from which  
 a Beech 9 in. dia. bears N 11 E 12 Yds. dist. S  
 an Ash 8 " " " S 40 E 8 " "  
 71.90 a Beech 30 " "  
 80.00 set post cor. of sec. 8, 9, 16 & 17 from which  
 a Beech 10 in. dia. bears S 4 E 25 Yds. dist. S  
 a Do 12 " " " N 46 E 17 " "  
 Land level 2<sup>d</sup> rate. Timber Beech, Ash, Oak,  
 Hickory, Sugar &c, Small Willow Swamps

East in Random between Sec. 9 & 10

T. 28 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Ch. Sp.

40.00 set temp. of sec. part

79.20 Intersect N. & S. line 122 Ws. N. of part —  
 Land & timber same as before described.  
 May 5. 1828

West Connected between Sec. 9 & 10

39.60 set of sec. part at aver. dist. from which  
 a Beech 18 in. dia. bears S 35 W 25 Ws. dist. 8  
 a Do 24 " " " N 35 E 30 " "  
 79.20 to sec. cor.

North between Sec. 8 & 9

15.40 an Elm 24 in. dia.

40.00 set of sec. part from which  
 a Hickory 24 in. dia. bears S 2 E 14 Ws. dist. 8  
 a Beech 11 " " " S 74 W 25 " "

52.60 an Elm 24 " "

80.00 set part cor. of sec. 4, 5, 8 & 9 from which  
 an Elm 15 in. dia. bears S 88 E 53 Ws. dist. 8  
 a Buckeye 5 " " " S 58 W 5 " "  
 Land & timber same as before described.

East on Random between Sec. 4 & 9

22.50 a Stream 20 Ws. wide course NW

40.00 set temp. of sec. part

79.00 Intersect N. & S. line 37 Ws. N. of part —  
 First half mile Creek breaks, last half mile  
 level & rate. Timber as before noted.

West Connected between Sec. 4 & 9

39.50 set of sec. part at aver. dist. from which  
 an Ash 7 in. dia. bears N 30 W 17 Ws. dist. 8  
 an Elm 6 " " " S 10 E 16 " "

79.00 to sec. cor.

North between Sec. 4 & 5 May 6. 1828



*T. 28 N., R. 6 E. 2. Mer. Ind.?*  
*Chs. Ok.*

- 0.12 a Stream 20 Yds. wide course W  
 15.26 a W. Oak 30 in. dia.  
 40.00 set of sec. post from which  
     an Elm 12 in. dia. bears N 63 E 15 Yds. dist. &  
     a Do 11 " " " S 54 E 42 " "  
 86.24 Intersect N. Boundary 205 Yds. E. of post—  
     set post at intersection cor. of sec. 4 & 5 from which  
     a W. Thorn 4 in. dia. bears N 78 E 9 Yds. dist. &  
     a Do 8 " " " S 3 E 13 " "  
 Land State.

*North between Sec. 31 & 32*

- 17.30 an Elm 10 in. dia.  
 40.00 set of sec. post from which  
     a Beech 15 in. dia. bears S 61 E 2 Yds. dist. &  
     a Do 18 " " " S 60 W 26 " "  
 51.40 a Beech 10 " "  
 80.00 set post cor. of sec. 29, 30, 31 & 32 from which  
     an Ash 16 in. dia. bears S 19 E 17 Yds. dist. &  
     a Do 6 " " " N 7 E 12 " "  
 First half mile rolling State, last half mile  
 inclining to wet.

*West between Sec. 30 & 31*

- 40.00 set of sec. post from which  
     an Ash 12 in. dia. bears S 8 E 4 Yds. dist. &  
     a Do 4 " " " N 22 E 18 " "  
 69.80 Intersect W. Boundary 192 Yds. W. of a new corner  
     made I presume by Col. Brown, 3.17 South of an  
     original corner, set post at intersection cor. of sec.  
     30 & 31 from which  
     a Beech 15 in. dia. bears S 57 E 11 Yds. dist. &  
     an Ironwood 5 " " " N 18 E 17 " "  
 Land level inclining to wet. Timber Beech, Oak,  
 Ash & Ylp. Spruce, Dogwood

T. 28 N., R. 6 E. 2. Mer. Ind.?  
 Chas. Sh.

East on Random between Sec. 29 & 32

40.00 set temp. of sec. part

80.10 Intersect N. & S. line 400 Yds. N. of part — but  
 cannot be certain by reason of Swamps &c.  
 First half mile dry & waste land.

West Connected between Sec. 29 & 32

40.05 set of sec. part at aver. dist. from which

a Beech 10 in. dia. bears S 47° W 7 Yds. dist. 8

a Do 11 " " " N 45° E 14 " "

80.10 to sec. cor.

North between Sec. 29 & 30

3.60 am Elm 12 in. dia.

40.00 set of sec. part from which

a Beech 11 in. dia. bears N 88° E 25 Yds. dist. 8

a Do 18 " " " S 24° E 41 " "

80.00 set part cor. of sec. 19, 20, 29 & 30 from which

an Ash 4 in. dia. bears N 85° E 7 Yds. dist. 4

a Beech 10 " " " N 30° W 20 " "

Land level & waste. Timber as before described

East on Random between Sec. 20 & 29

40.00 set temp. of sec. part

79.45 Intersect N. & S. line 124 Yds. N. of part —

Land somewhat rolling. Timber Beech, Ash,  
 Oak, Hickory, Sugar &c. Wyp. Spice, Dogwood,  
 Hazel May 7. 1828

West Connected between Sec. 20 & 29

39.72 set of sec. part at aver. dist. from which

a Dogwood 7 in. dia. bears N 51° W 8 Yds. dist. 8

a Cherry 5 " " " N 5° W 14 " "

79.45 to sec. cor.

West between Sec. 19 & 30

T. 28 N., R. 6 E., 2<sup>d</sup> Mer. Ind. <sup>a</sup>

Elev. Sk.

21.50 on Ash 18 in. dia.

40.00 set of sec. post from which  
a Beech 10 in. dia. bears N 40 W 10 Ws. dist. 8  
a Do 30 " " " S 25 E 22 " "

69.30 Intersect W. Boundary 52 Ws. N. of corner—  
set post at intersection cor. of sec. 19 & 30 from which  
a W. Oak 12 in. dia. bears S 3 E 12 Ws. dist. 8  
a Do 13 " " " N 80 E 10 " "  
Land rolling good 2<sup>d</sup> rate. Timber Beech, Ash,  
Oak, Hickory, Sugar. Vlp. very close Spice,  
Juniper, Dogwood, Hazel, Ash &c.

North between Sec. 19 & 20

21.50 on Ash 18 in. dia.

40.00 set of sec. post from which  
a Lycamore 28 in. dia. bears N 35 E 13 Ws. dist. 8  
a Do 36 " " " N 30 W 12 " "

73.70 a Beech 24 " "

80.00 set post cor. of sec. 17, 18, 19 & 20 from which  
a Beech 12 in. dia. bears N 20 E 23 Ws. dist. 8  
a Do 20 " " " S 86 W 28 " "

Land level 2<sup>d</sup> rate. Timber Beech, Oak, Ash, Poplar,  
Sugar, Lym &c. Vlp. Spice, Pawpaw, Dogwood

East on Random between Sec. 17 & 20

40.00 set temp. of sec. post

79.00 Intersect N. & S. line 75 Ws. N. of post—  
Land level, last half mile inclining to wet.

West Corrected between Sec. 17 & 20

39.50 set of sec. post at aver. dist. from which  
a Beech 18 in. dia. bears S 37 E 16 Ws. dist. 8  
a Do 18 " " " N 25 E 24 " "

79.00 to sec. cor.

West between Sec. 18 & 19

T. 28 N., R. 6 E. 2<sup>d</sup> Mer. Ind. <sup>Ch. Sp.</sup>

12.40 a Beech 30 in. dia.

40.00 set of sec. post from which

a Buckeye 11 in. dia. bears N 20° W 8 Mk. dist. 2  
 an Ironwood 5 " " S 58° W 13 " "

51.00 a Beech 12 " "

70.76 Intersect W. Boundary 129 Mk. N. of post -

set post at intersection cor. of sec. 18 & 19 from which

a Beech 11 in. dia. bears S 61° W 3 Mk. dist. 2

a Dr 12 " " N 23° W 23 " "

At this corner we find two lines, which has been the case from the Wabash, but Judge Ellis informs me the one furthest West is the true line.

Here the erroneous one is 112 Mk. East of the true one, the corner for 13 & 24 is established on the wrong line.

North between Sec. 17 & 18

2.12 a Beech 30 in. dia.

40.00 set of sec. post from which

a Beech 9 in. dia. bears S 35° W 4 Mk. dist. 2

a Dr 18 " " S 84° E 22 " "

69.50 an Ark 24 " "

80.00 set post cor. of sec. 7, 8, 17 & 18 from which

a W. Oak 18 in. dia. bears N 20° E 20 Mk. dist. 2

a Beech 12 " " S 66° W 21 " "

Land rolling 2<sup>d</sup> rate. Timber Ark, Oak, Sugar, Spice, Ironwood, Dogwood, Ark &c

East on Random between Sec. 8 & 17

40.00 set temp. of sec. post

79.58 Intersect N. S. line 44 Mk. N. of post -

Land level 2<sup>d</sup> rate. Timber as last described.

West Corrected between Sec. 8 & 17

39.79 set of sec. post at aver. dist. from which

an Ironwood 10 in. dia. bears N 21° E 18 Mk. dist. 4



T. 28 N., R. 6 E. 2. Mer. Ind.<sup>a</sup>

Chas. Ek.

an Elm 12 in. dia. bears S 66° W 19 W. dist.  
79.58 to sec. cor.

West between Sec. 7 & 18

14.20 a Beech 20 in. dia.

40.00 set of sec. post from which  
a Beech 12 in. dia. bears N 15° W 14 W. dist. 2  
a Do 20 " " " S 5° E 12 " "

46.50 a Beech 12 " "

68.02 Intersect N. Boundary 200 W. N. of post —  
set post cor. of sec. 7 & 18 at intersection from which  
an Elm 18 in. dia. bears S 10° E 8 W. dist. 2  
an Ash 11 " " " N 87° E 15 " "  
Land level & rate. Timber Beech, Ash, Oak,  
Hickory, Sugar, Poplar, Ulp. Spice, Pawpaw,  
Dogwood, Gumwood, Ash

North between Sec. 7 & 8

3.00 an Ash 20 in. dia.

40.00 set of sec. post from which  
a Buckeye 5 in. dia. bears N 30° E 3 W. dist. 2  
a Beech 11 " " " S 12° W 21 " "

56.50 a Beech 15 " "

65.00 a Stream 25 W. wide runs S 99° E. beautiful  
80.00 set post cor. of sec. 7, 8, 10, 12 from which  
a Sugar 11 in. dia. bears S 35° W 25 W. dist. 2  
a Beech 14 " " " N 46° E 21 " "

Land rolling & rich. Timber Beech, Ash, Oak,  
Sugar, Poplar, Ulp. Spice, Dogwood &c.  
Thursday, May 8, 1828

East on Boundary between Sec. 5 & 8

73.00 a Stream 18 W. wide runs S 4° W

78.08 Intersect N. S. line 40 W. S. of post —

Creek bottom land rich but cut up with Bayou  
Timber same as before described.



T. 28. N., R. 6. E. 2. Mer. Ind. a.  
Ch. & Co.

West Connected between Sec. 5 & 8

39.04 set q. sec. post at aver. dist. from which  
a Beech 10 in. dia. bears N 43 E 21 Mts. dist. 8

an Elm 18 " " " S 83 W 21 " "

78.08 to sec. cor.

North between Sec. 5 & 6

17.75 a W. Oak 24 in. dia.

18.50 a small Stream course SW

40.00 set post for q. sec. cor. from which

a Poplar 15 in. dia. bears N 4 W 9 Mts. dist. 8

a Beech 11 " " " S 25 E 13 " "

45.00 a Gum 12 " "

85.50 Intersect N. Boundary 8 Mts. E. of post -

set post at intersection cor. of sec. 5 & 6 from which

a Sugar 14 in. dia. bears N 51 E 5 Mts. dist. 8

a Do 13 " " " S 54 W 18 " "

Land rolling 2. rate. Timber Beech, Ash,  
Oak & C. Wyp. Spice, Water Beech, Dogwood &c.

West between Sec. 6 & 7

7.25 a B. Oak 30 in. dia.

40.00 set q. sec. post from which

an Ironwood 6 in. dia. bears N 53 E 12 Mts. dist. 8

a Cherry 5 " " " S 60 E 10 " "

55.50 a Branch 6 Mts. wide course SW

68.36 Intersect N. Boundary 204 Mts. N. of post -

set post at intersection cor. of sec. 6 & 7 from which

a Beech 10 in. dia. bears S 30 E 24 Mts. dist. 8

a Do 20 " " " S 70 E 22 " "

Land level, 1. half mile rolling. Timber  
Beech, Ash, Oak, Hickory, Wyp. Spice, Ironwood,  
Beech & Green Briers. Thin Oak soil.

Friday, May 9. 1828 John Hendricks  
Deputy Surveyor.

I certify that the foregoing transcript of  
Field Notes of the survey of Township N. 28  
North, of Range N. 6 East of the 2. Principal  
Meridian, in the State of Indiana, has  
been compared with the original on file in  
this office, and found to be correct.

Surveyor General's Office,  
Cincinnati, Feb. 12. 1845

William Johnston  
Sur. Genl.